

Custom Uitypes

You can add new types to the existing ones and manage them completely without changing other code. The procedure for creating a new one is:

1. Create a new custom field with the new type (nnn)
2. Create the files:
 - a. nnn.php in modules/SDK/examples
 - b. nnn.js in modules/SDK/examples
 - c. nnn.tpl in Smarty/templates/modules/SDK/examplesThese files manage the behavior of the new field depending on the context (list, detail, and so on)
3. Register the new type with the class method SDK::setUitype.

In modules/SDK/examples/VTE-SDK-2.php there are various examples of field creation and uitype registration.

In modules/SDK/doc/VTE-SDK-2.pdf under **Uitypes List** you can find the list of the main standard uitypes.

```
SDK::setUitype($uitype, $src_php, $src_tpl, $src_js, $type="", $params="");
```

\$uitype : the number of the new type; it must be nnn (the name of the files)

\$src_php: the path of nnn.php

\$src_tpl: the path of nnn.tpl (without Smarty/templates/ at the beginning)

\$src_js : the path of nnn.js

\$type : the type in webservice format ('text', 'boolean', and so on)

\$params : not used yet

To remove the uitype:

```
SDK::unsetUitype($uitype);
```

\$uitype : it is the number of the uitype to remove (the files associated with it will not be deleted)

We recommend using uitype with a value greater than 2000, to avoid conflicts with the future releases of **vtenext**.

The php script has several variables available, the first one is:

\$sdk_mode : the views that can be customized for the new uitype ("insert", "detail", "edit", "relatedlist", "list", "pdfmaker", "report", and so on)

Depending on the type of `$sdk_mode`, various variables can be read and modified.

detail

to manage the display of the field in DetailView

INPUT

\$module : the current module name

\$fieldlabel: the label of the field

\$fieldname : the name of the field

\$col_fields: (array) the values of the fields

OUTPUT

\$label_fld[] : the label translated

\$label_fld[] : the value to be displayed

edit

to manage the display of the field in EditView

INPUT

\$module_name : the current module name

\$fieldlabel : the label of the field

\$value : the value of the field

OUTPUT

\$editview_label[] : the label translated

\$fieldvalue[] : the value to be displayed

relatedlist, list, pdfmaker

to manage the display of the field in ListView, RelatedList and PDFMaker

INPUT

\$sdk_value : the value of the field

OUTPUT

\$value : the value to be displayed

report

to manage the display of the field in Report

INPUT

\$sdk_value : the value of the field

OUTPUT

\$fieldvalue : the value to be displayed

If the value to be displayed from the interface **is formatted differently** than the value saved in the database (e.g. number 1.000,25 which must be saved as 1000.25) then the following methods must also be managed to save the value in the correct format and search for it.

insert

to convert the value to the format to be saved in the database

INPUT

\$this->column_fields : (array) the values of the fields

\$fieldname : the name of the field

OUTPUT

\$fldvalue : the value to save in the database

formatvalue

to convert the value coming from the \$_REQUEST into the format saved in the database (used in the new management of Conditional Fields)

INPUT

\$value : the value of the field

OUTPUT

\$value : the value converted to database format

querygeneratorsearch

to convert the value searched in the lists and filters by the user

INPUT AND OUTPUT

\$fieldname : the name of the field

\$operator : the comparison operator

\$value : the value searched

customviewsearch

to manage the conversion of the value in the popup filters for the reference fields

INPUT AND OUTPUT

\$tablename : the table of the field

\$fieldname : the name of the field

\$comparator : the comparison operator

\$value : the value searched

popupbasicsearch

to manage the conversion of the value in the popup search for the reference fields

INPUT

\$table_name : the table name

\$column_name : the column name

\$search_string : the value searched

OUTPUT

\$where : the condition of the query

e.g. *\$where = "\$table_name.\$column_name = '".convertToDBFunction(\$search_string)."'";*

popupadvancedsearch

to manage the conversion of the value in the advanced popup search for the reference fields

INPUT AND OUTPUT

\$tab_col : the table and the column of the field

\$srch_cond : the comparison operator

\$srch_val : the value searched

reportsearch

to convert the value searched in the reports by the user

INPUT AND OUTPUT

\$table : the table of the field

\$column : the column of the field

\$fieldname : the field name

\$comparator : the comparison operator

\$value : the value searched

Hooks

data/CRMEntity.php

include/ListView/ListViewController.php

include/utils/crmv_utils.php

include/utils/EditViewUtils.php

include/utils/DetailViewUtils.php

include/utils/ListViewUtils.php

include/utils/SearchUtils.php

include/QueryGenerator/QueryGenerator.php

modules/PDFMaker/InventoryPDF.php

modules/Reports/ReportRun.php

modules/Users/Users.php

modules/CustomView/Save.php

modules/CustomView/CustomView.php

Smarty/templates/DisplayFieldsReadonly.tpl

Smarty/templates/DisplayFieldsHidden.tpl

Smarty/templates/DetailViewFields.tpl

Smarty/templates/EditViewUI.tpl

Smarty/templates/DetailViewUI.tpl

Revision #16

Created 19 February 2020 17:50:41 by ddalmaso

Updated 21 June 2024 07:39:51 by m.maporti