

17.16 Data Import

This tool makes it possible to import data in vte (if the installation is on-site) from an external source, which can be both CSV (as already occurs through the standard import of master data) and database types.

You can schedule the process according to a certain time frequency and enter advanced queries for data extraction. Let's take a step-by-step look at the import procedure, using a database import case as an example. To configure a new import, press Add.

N.B.: For the import of modules that also have products within them (e.g. Sales Orders or Quotes), the procedure is different.

You need 3 different CSV files to import in the order described:

- A file containing the products inside the block with only the basic data.
- A file for the 'header' of the module containing the product block where only the data related to it will be inserted.
- A file containing essential data for the product block where you will need two identification fields to link the 'header' and the 'products' previously imported; in addition to these you will need, as mandatory, the fields: Product Name, Quantity and List Price.

IMPORTANT: In the corresponding modules of the first two files, a field must be created to be used for the connection between the two in the product block e.g. - external ID

After importing the first two files, remember to map the external ID as an identifier field; with the procedure described above, it will be possible to select 'product block' among the modules available (in the example below it is 'Sales Orders') by creating a third import.

At this point in the mapping of the 'product block' module, you need to set the two previous external IDs – created in the two modules and then inserted with the CSV – as connection fields.

In the event that there is a UI type 10 field with a connection to another entity in the CSV to be imported, the entity with the record connected to it must have been imported first and an external identification field mapped in the same way as previously described for the product block, in order for the UI type 10 field to be imported.

How the import file looks like (for the product block of a Sales Order):

The situation is the following. Suppose you have already imported all the products and therefore need to import the sales orders with related product lines. At this point it is sufficient to create a CSV file like the one shown in the example:

Order Num.	Product Num	Name	Descr.	Q.ty	Price	Disc.	Total row
SO10	PR07	TV	Model 123	2	350,00	0	700,00
SO10	PR11	Mixer	Bland everything	1	90,00	15	75,00

The first row represents the header, that is the columns to be inserted and must contain all the fields that are present in the product block of the Sales Orders to be imported. Using the order number (first column) as import key, you can import in this way, tot rows of the same order. This procedure also works for other modules that contain a product block.

N.B .: the Orders must be sequential in the CSV file. It is not possible to correctly import a CSV when Sales Orders are scattered between the lines of the file itself.

CORRECT

Order Num.	Product Num	Name	Descr.	Q.ty	Price	Disc.	Total row
SO10	PR07	TV	Model 123	2	350,00	0	700,00
SO10	PR11	Mixer	Bland everything	1	90,00	15	75,00
SO11	PR05	Computer	Super PC	1	300,00	50	250,00
SO11	PR11	Mixer	Bland everything	1	25,00	0	25,00

NOT CORRECT

Order Num.	Product Num	Name	Descr.	Q.ty	Price	Disc.	Total row
SO10	PR07	TV	Model 123	2	350,00	0	700,00
SO11	PR05	Computer	Super PC	1	300,00	50	250,00
SO10	PR11	Mixer	Bland everything	1	90,00	15	75,00
SO11	PR11	Mixer	Bland everything	1	25,00	0	25,00

STEP 1: Module.

Select the recipient module of the data.

Settings > External data import

Configure automatic data import from external sources

1

Module

2

Data source

3

Source parameters

4

Source table

5

Field mapping

6

Schedule import

7

Notifications

Cancel

Next >

ModuleAccountsSelect the destination module for the data to import

Description

STEP 2: Data source

Select the source type, whether CSV or database.

Settings > External data import

Configure automatic data import from external sources

1

Module

2

Data source

3

Source parameters

4

Source table

5

Field mapping

6

Schedule import

7

Notifications

Cancel

< Back

Next >

Choose the type of data source

Database

Source

File CSV

STEP 3: Source parameters

Compile the parameters of the server that contains the DB to make the connection.

Settings > External data import

Configure automatic data import from external sources

1

Module

2

Data source

3

Source parameters

4

Source table

5

Field mapping

6

Schedule import

7

Notifications

Cancel

< Back

Next >

Choose the connection parameters to the selected data source

Database TypeMySQL

Copy connection details from--None--

Host Namelocalhost

Port Number3306

User Namevte

Password*****

Database Namevte1812_1802

STEP 4: Source table

Choose the source table contained in the database; if necessary, set an advanced data extraction query in the space below.

Settings > External data import

Configure automatic data import from external sources

1

Module

2

Data source

3

Source parameters

4

Source table

5

Field mapping

6

Schedule import

7

Notifications

Cancel

< Back

Next >


Tabella di origine

customers
--Nessuno--
customers

STEP 5: Field mapping

Similar to the standard CSV import procedure, it is necessary to map the data in the source table with the fields in vtenext, so that the information reaches its destination on the CRM in the correct field.

You need to select the key field; you can also choose the format for some fields (e.g.: telephone format) or use simple formulas (e.g.: prefix code). Further down the screen, you can select the default fields in creation and editing.

 **Settings > External data import**
Configure automatic data import from external sources

1 Module

2 Data source

3 Source parameters

4 Source table

5 **Field mapping**

6 Schedule import

7 Notifications

Cancel

< Back

Next >

Set the field mapping for the import. It's possible to choose the input format for some data type and some basic operations on them

Header	Row 1	Value format	Formula	CRM Fields	Key Field	Default Value
Put in this folder the CSV files you wish to automatically import with the DataImporter tool.			<div>Prepend</div>	<div>Account Name (*)</div>	<input checked="" type="checkbox"/>	<div>Default</div>

Default fields in creation:

Add field

CRM Fields	Default Value	Actions
<div>Assigned To (*)</div>	<div>Matteo (Matteo)</div>	<div></div>
<div>testt</div>	<div>Default</div>	<div></div>

Default fields in update:

Add field

STEP 6: Schedule import

Schedule the process according to a regular interval.

 **Settings > External data import**
Configure automatic data import from external sources

1 Module

2 Data source

3 Source parameters

4 Source table

5 Field mapping

6 **Schedule import**

7 Notifications

Cancel

< Back

Next >

When do you want to execute this automatic import

Start every

1

Day

 at

22:00

STEP 7: Notifications

Define which user should receive the notification of data import.

Settings > External data import

Configure automatic data import from external sources

1Module

2Data source

3Source parameters

4Source table

5Field mapping

6Schedule import

7Notifications

Cancel

< Back

Save

Choose the user that will receive notifications about errors or failures in the import process

User

Matteo (Matteo)






The user will receive the notification by email or by VTE Notifications, depending on its settings

How do you import configurable products from data importer?

1. use the product module import as a basis
2. add a special interface field, called for example "configurable product name" to be used to create the parent configurable product
3. add special fields for product attributes always from the interface. In this way the import will make the "distinct" of the latter and will create the rows in the table field and it will be possible to map the attribute fields as very normal standard fields.

Other actions

Once the import process has been created, the general menu of the Import Data tool shows the saved imports with information regarding the last/next start. You can take other actions.

	Import enabled/disabled (to change, click on the icon)
	Start import now
	Changing the configuration (the previous steps are re-proposed)
	Reading the last import report
	Delete the Import

Revision #1

Created 2 September 2024 07:59:12 by Admin

Updated 3 October 2024 07:58:35 by Admin